

# **OMNITRONIC PORTY-8A Wireless PA System**

Mobile 8" PA system with battery operation, Bluetooth, DSP and wireless microphone

Art. No.: 13107010

GTIN: 4026397695557











# List price: 415.31 €

incl. 19% VAT.

# **Description:**

The PORTY-8A is an ultra-portable, battery-powered speaker with 120 watts output power that delivers professional, high-quality sound. The all-in-one 8" PA system offers a full-featured 4-channel mixer with DSP effects and multiple connection options for microphones, instruments and line sources, as well as a registration-free UHF wireless receiver with dynamic handheld microphone. The latest Bluetooth 5.0 technology with TWS support ensures fast and stable wireless connections to Bluetooth audio sources and links two PORTY-8A systems for stereo setups.

The powerful battery provides easily over 6 hours of continuous music playback without interruption for garden parties, singers/songwriters, karaoke, trade shows, fitness instructors and presentations. The 8 kg lightweight plastic enclosure comes equipped with a double flange for tripod mounting and tilts back for monitor applications. You can even charge your personal devices via the USB charging port and place them in the built-in tablet stand!

#### Features:

- Powerful sound in an ultra-compact package (114 dB max. SPL)
- Works great as primary PA system, stage monitor and practice amp
- 4-channel power mixer
- Stereo Bluetooth link for wireless stereo operation with 2 systems linked together
- UHF receiver unit and matching wireless microphone
- UHF 863 865 MHz License-free and approved in Europe
- Digital signal processor 96kHz, 24 bit
- DSP presets: FLAT; DJ; LIVE
- Cordless, flexible and versatile
- Integrated automatic charging of the battery and status indicator
- Battery operation up to 6,5h 50%; battery operation up to 3,5h 100%

## Logistic

EAN / GTIN: 4026397695557 Weight: 9,40 kg Length: 0.45 m Width: 0.35 m Heigth: 0.32 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- Black metal grille
- Bluetooth: operating range up to 20m
- Rugged carrying handle
- Lightweight plastic housing
- With tablet holder
- Dual flange
- Control via Bluetooth
- Application possibility: Standing; monitoring; on stand
- For application areas such as: Mobile use; mobile djs / entertainer; small rental; product presentations and lectures

#### Package contents

- 1 x compact cabinet speaker, 1 x microphone, 1 x power cord, 1 x user manual, 1 x declaration of conformity, 2 x battery, 1 x battery pack

## **Technical specifications:**

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	Max. 220 W
Protection class:	Protection class I
Power connection:	Mains input via IEC connector (M) mounting version (provided)
Cable length:	Battery/battery pack
Cable length:	1,5 m detachable
Device fuse:	5 x 20 mm, T 3,15 A fuse replaceable
Battery pack type:	1 x lithium ion 22,2 V, 4400 mAh, 97,68 Wh
Battery pack:	Battery operation up to 6,5h 50% Battery operation up to 3,5h 100% Recharging time 4h
Power:	120W RMS
Number of channels:	4
Frequency range:	45 - 18000 Hz
Max. SPL:	114 dB
DSP:	Digital signal processor 96kHz, 24 bit
DSP presets:	FLAT; DJ; LIVE
Control:	Bluetooth
Bluetooth:	Version: 5 with stereo link (TWS)
Bluetooth device name:	OMNITRONIC PORTY-8A
Range:	Bluetooth: range up to 20m
Frequency band:	UHF 863 - 865 MHz
Housing color:	Black
Attachment system:	Dual flange: Ø 35mm
Circuitry:	Class D
Control elements:	Power switch, Input sensitivity switch, Master control, level control per channel, echo effect control; connect
Connections:	Input: mic/line via 3 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version)
	Input: line via RCA (F) mounting version
	Input: line via 3.5 mm jack (stereo) mounting version
	Output: line via 3-pin XLR (M) mounting version

Channels:	Input chanel: 3 x mono with Mic-Line-Hi.Z. switch via Combination socket (XLR/jack), channel control via rotary dial, 2-band tone control EQ
Input channels:	1 x stereo via RCA or jack plug or Bluetooth, channel control via rotary dial
Speaker:	Woofer 8" with ferrit magnet
	8 x compression tweeter highs 1,35" with ferrit magnet
Type of speaker:	Wireless PA system
Carrying handle:	1 pc/pcs
Material:	Plastic
Dimensions:	Width: 29 cm
	Depth: 26,3 cm
	Height: 39,3 cm
Weight:	8,65 kg