eurolite®

EUROLITE Set Dynamic Faze 1000 + Smoke Fluid -P2D- 5I

DMX fazer produces fine haze including 5I Smoke Fluid

Art. No.: 2000080 GTIN:



List price: 474.81 €

incl. 19% VAT.

Features:

EUROLITE Dynamic Faze 1000 Fazer

DMX controlled fazer produces fine haze, operates with standard fluid

- Produces fine, translucent haze without nebulizing the room at the same time
- Ideal for accentuating light and laser beams
- Continuous output
- Adjustable timer with interval, duration and output volume
- Fan grille with blue LED illumination, switchable
- Rugged metal housing
- Short warm-up time
- Output distance: Approx. 3 m
- Control via DMX; wireless remote control; wired remote control
- For application areas such as: Clubs/dancing school; stage; mobile djs / entertainer; rental
- With level indication
- Operates on water-based fluid
- Preprogrammed in LED PC-Control 512; Light Captain
- Removable tank
- Application possibility: Standing
- Package contents
- 1 x device, 1 x user manual, 1 x power cord, 2 x remote control, 1 x transmitter, 1 x declaration of conformity, 1 x filter, 1 x battery

EUROLITE SMOKE FLUID -P2D- Professional, 5I smoke fluid

Long-lasting fog effect with high density

- Odorless

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Logistic

- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3
- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality
- Made in Germany
- For application areas such as: Wedding/gala/events; small rental; clubs/dancing school; stage
- Water-based fluid ready for use

Technical specifications:

Weight:	14,10 kg
- 5 ·	1 - 5

EUROLITE Dynamic Faze 1000 Fazer

Power consumption:	
· ·	1000 W
IP classification:	IP20
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Warm-up time:	Approx. 3 min
Output volume:	Approx. 226 m³/min
Output distance:	Approx. 3 m
Tank capacity:	2,3 I water-based fluid removable tank
DMX channels:	1
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Control:	DMX; wireless remote control; wired remote control
Preprogrammed in:	LED PC-Control 512; Light Captain
Housing color:	Black
Controls:	Low fluid; overheat
Color:	Black
Dimensions:	Width: 17,5 cm Depth: 43 cm Height: 38,5 cm
Weight:	9,10 kg
Noise classification:	Class 2 (slight noise)
Remote control	
Battery:	1 x 12 V LR27 alkaline manganese built-in

EUROLITE SMOKE FLUID -P2D- Professional, 5I smoke fluid

Container size:	51
Type of fluid:	Water-based fluid ready for use
Weight:	5,00 kg