

## EUROLITE AKKU TL-3 TCL Trusslight

Spotlight with 3 x 3 W 3in1 LED (RGB) for lighting within trussing

Art.n.: 41700500

GTIN: 4026397516579



## L'articolo non è più disponibile.

### Descrizione :

The AKKU TL-3 TCL is a spotlight equipped with 3 bright 3-watt RGB LEDs (3in1) designed for lighting within trussing. It is wireless and battery-run (battery life 6.5 hours) and its small size makes it a great fit for many 3- and 4-point trussing systems.

You can choose from a variety of different functions such as static colors, continuous RGB color mixture, internal programs, dimmer effects as well as strobe effects with adjustable speed.

The device can either be controlled via DMX or the supplied wireless remote control (Eurolite IR-7).

All of these features make the AKKU TL-3 TCL the perfect choice for booth construction, stages and any kind of truss.

### Features :

- Compact and bright, making it perfect for truss installation
- Cordless, flexible and versatile
- Equipped with 3 x 3 W TCL LED in red, green and blue
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 6.5 hours operating time
- Integrated automatic charging of the battery with indicator
- Controllable via EUROLITE IR-7 remote control; included in the delivery
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 3, 5 or 8 DMX channels selectable
- Functions: static colors, stepless RGB color mixture, internal programs, dimmer, strobe effect with variable speed, sound-control, Master/Slave operation
- Dimmer speed (step response) adjustable
- Adjustable microphone sensitivity

### Logistica

EAN / GTIN: 4026397516579

Peso : 1,50 kg

Lunghezza : 0.18 m

Larghezza : 0.17 m

Altezza : 0.20 m

- Addressing via control panel with 4-digit LED display
- Ideal for booth construction, stages and any kind of truss
- Ideal for ALUTRUSS 3-POINT SYSTEM DECOLOCK DQ3
- Hanging as well as standing installation possible
- Switch-mode power supply for operation between 100 and 240 volts
- Ready for connection via included power cable with safety power plug
- Feed-through output allows to power up to 8 devices
- 3 potenti LED 3 W high power 3in1 TCL RGB (miscela di colori omogenea)
- Controllabile via DMX; stand-alone; controllo della musica via microfono
- Già pre-programmato con Light 'J; LED PC-Control 512; Light Captain
- Senza sfarfallio
- With a beam angle of 16°

#### Dispositivo

- Senza fili, flessibile e versatile
- Durata di funzionamento fino a 6,5h a seconda del programma utilizzato

#### Dotazione della fornitura

- 1 x Dispositivo, 1 x telecomando

### Dati tecnici :

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	19,00 W
Grado di protezione:	IP20
Allacciamento elettrico:	Pila/Batteria ricaricabile Alimentazione dell'energia elettrica tramite dispositivi a freddo (M) versione da incasso cavo di alimentazione con spina di protezione (in dotazione)
Uscita di corrente:	1 x dispositivi a freddo (F) versione da incasso
Tipo di lampada:	Lampada a LED
Tipo di LED:	3 x 3 W high power 3in1 TCL RGB (miscela di colori omogenea)
Frequenza di lampeggiamento:	0 - 30 Hz
Canali DMX:	3; 5; 8
Ingresso DMX:	1 x XLR (M) a 3 poli versione da incasso
Uscita DMX:	1 x XLR (F) a 3 poli versione da incasso
Attivazione:	DMX; stand-alone; controllo della musica via microfono
Pre-programmato con:	Light 'J; LED PC-Control 512; Light Captain
Proiezione:	Senza sfarfallio
Angolazione del fascio di luce:	16°
Angolazione del fascio di luce (1/2 picco):	16°
Angolazione del fascio di luce (1/10 di picco):	34°
Colore della custodia:	Nero
Misure:	Larghezza: 12,1 cm Profondità: 10,8 cm Altezza: 13,6 cm
Peso:	1,35 kg
<b>Dispositivo</b>	
Tipo di batteria:	1 x Ioni di litio 11,1 V, 4400 mAh, 48,84 Wh
Batteria:	Durata di funzionamento fino a 6,5h a seconda del programma utilizzato Tempo di ricarica 4,5h

Telecomando

---

Pila: 1 x pila a bottone 3,0 V CR2025 litio-manganese montato

---

Specifiche legali

---

Prodotto speciale: Non destinato all'illuminazione di ambienti domestici

---

Destinazione d'uso: Illuminazione per effetti speciali

---